

Sample Midterm Exam

Math 112Z

9/28/08

Name: _____

Read all of the following information before starting the exam:

- READ EACH OF THE PROBLEMS OF THE EXAM CAREFULLY!
- Show all work, clearly and in order, if you want to get full credit. I reserve the right to take off points if I cannot see how you arrived at your answer (even if your final answer is correct).
- A single $8\frac{1}{2} \times 11$ sheet of notes (double sided) is allowed. No calculators are permitted.
- Circle or otherwise indicate your final answers.
- Please keep your written answers clear, concise and to the point.
- This test has xxx problems and is worth xxx points. It is your responsibility to make sure that you have all of the pages!
- Turn off cellphones, etc.
- Good luck!

1	
2	
3	
4	
5	
Σ	

1. (20 points) Determine whether the following series converge absolutely, converge conditionally or diverge.

a. (10 pts)

$$\sum_{n=1}^{\infty} (-1)^n \frac{n}{n^{3/2} + 1}.$$

b. (10 pts)

$$\sum_{n=1}^{\infty} \frac{(n!)^2}{((2n)!)}.$$

2. (20 points) Determine the radius and interval of convergence for the following power series.

a. (10 pts)

$$\sum_{n=1}^{\infty} (\ln n)^n x^n$$

b. (10 pts)

$$\sum_{n=0}^{\infty} \left(\frac{2n+3}{n+2} \right)^{n^2} x^{n^2}$$

3. (20 points) Consider the power series:

$$f(x) = \sum_{n=1}^{\infty} (-1)^n \frac{x^n}{ne^n}$$

a. (10 pts) Find the radius and interval of convergence for the power series.

b. (5 pts) Find a power series representation for $f'(x)$. What is the interval and radius of convergence for this new power series?

c. (5 pts) Find a power series representation for $f(x^2)$. What is the interval and radius of convergence for this new power series?

4. (20 points) Give an example of each of the following:
with interval of convergence $(0, 2]$.

a. (5 pts) A power series

b. (5 pts) A power series with radius of convergence $R = \infty$.

c. (5 pts) A series which is absolutely convergence, but is not alternating or strictly positive.

d. (5 pts) Two series such that $f_n < g_n$ for all n , $\sum_{n=0}^{\infty} f_n$ diverges and $\sum_{n=0}^{\infty} g_n$ converges. (Hint: what hypothesis of the comparison test is missing?)

5. (20 points)

a. (10 pts) Use the power series for $\ln(1 - x)$ to find a power series for $\ln(x)$. What is the radius and interval of convergence for this power series?

b. (10 pts) Note that $e^{-1} = \sum_{n=0}^{\infty} \frac{(-1)^n}{n!}$. How many terms must be used to estimate e^{-1} with an error of at most $\frac{1}{120}$. (If you can not solve explicitly for n , just leave an expression, but it is set up to have a nice answer.)